SAFE PATIENT HANDLING

Lifters & Slings

CATALOGUE



Making Life's **Experiences** Possible

Contents

| Birdie EVO | 3 |
|-----------------------------|----|
| Invacare Stand Assist (ISA) | 10 |
| ISA Slings | 15 |
| Invacare Slings | 17 |
| The Pivot Sling Range | 25 |
| Cross reference guide | 26 |



OPTIMISED DESIGN FOR SAFE TRANSFERS SLOW'R[®] | SMARTLOCK[™] | HOOK DESIGN



Birdie Evo

An evolution in mobile floor lifters

Our BirdieEVO family has been designed to offer a high feature-set of options that have been blended with new technologies to provide maximum comfort and security when lifting or transferring a patient to or from a bed, chair or even the floor.

Based on the renowned Birdie, the range has been customer insight-led, encompassing everything that was valued on the Birdie whilst bringing in features to further enhance the client and carer experience.

Impressive lifting range

The BirdieEVO range encompasses an ergonomic lift that allows the client to be easily rotated 360°, making positioning much easier for the carer and reducing anxiety for the client.

Maximised space

The high boom ensures there is space for the client, even when the hoist is in its highest position, and the optimised space in front of the actuator reduces the risk of injury to the client's knees.





Easy to handle, transport and store

Our BirdieEVO family can be easily folded and unfolded without the need for tools. They take up minimal space when stored and are easy to push and transport. If required, the mast can be very easily detached from the base (no tools required).

The BirdieEVO COMPACT has a low weight of 31 kg making it even easier to transport and store.





Introducing the **Birdie EVO** family...



Birdie EVO COMPACT

Smaller footprint for easier maneuverability

A smaller size allows the BirdieEVO COMPACT to easily operate in environments where space is limited.

| kg |
|-----|
| 0mm |
| |



Birdie EVO

The standard in client lifting

A redesigned version of the market leading Birdie mobile floor lifter, designed to support safe transfers in both home-care and long-term care environments.

| Lifting Range: | 415 - 1660mm |
|--------------------|--------------|
| Safe Working Load: | 180kg |
| Turning Diameter: | 1400mm |



Birdie EVO XPLUS Advanced lifter for extended SWL

Our XPLUS model is a line extension based on the Birdie EVO PLUS with a special reinforcement to be able to lift a heavier client.

| Lifting Range: | 415 - 1660mm |
|--------------------|--------------|
| Safe Working Load: | 210kg |
| Turning Diameter: | 1430mm |



Exclusive Features

Smartlock™

Exchange spreader bar quicker, more safely and easier than ever before with our quick release mechanism. No tools required.





Hook Design

Securely attach slings with one hand thanks to a user-friendly hook design.

Additional features:

- Ergonomic push bar makes handling and manoeuvring even easier.
- Distinct curved design of boom and spreader bar allows carers to maintain eye contact with clients at all points of a transfer.
- The ergonomic design of the legs, with their smooth edges and natural curve, gives a cocoon like feeling and easily moves around comfort chairs or power wheelchairs

3 key features at a glance



Smartlock[™] Simplify and secure the locking

BIRDIE

A quick release mechanism makes it simple and safe to exchange the spreader bar without tools. Enhanced safety is provided via a swallow tail connection that is further secured by a locking pin to ensure both parts of the system remain in place.

Slow'R[®] Reduce the rocking

A dampener has been designed and integrated into the boom to reduce the rocking movement of the client, giving them a more comfortable experience and providing carers with more control during lifts and transfers.



Hook Design[™] Attach slings easily

An ergonomic hook design allows the loop on the sling to be attached with just one hand. A wider hook makes positioning loops easier, whilst the hook's nose has been designed to prevent slings sliding out unintentionally, reducing the risk of injury.



Yes, you can."

Available options and accessories





4 point spreader bar

Pivot frame

Lever for mechanical leg spread

Redesigned Scale


Extensive range of durable slings available in various sizes, styles and fabrics.

Options

- Electrical or mechanical leg spread
- Electrical or mechanical emergency lowering
- Snaplock for optimal security
- Extensive range of durable slings available in various sizes, styles and fabrics



Tech Specs



| | ••• | f | KG | + - |
|--------------------|------------------|------------------|-------------|---------------|
| | Ground clearance | Max. user Weight | Unit weight | Battery time* |
| Birdie EVO COMPACT | 35mm | 150kg | 31kg | 40 cycles |
| Birdie EVO | 35mm | 180kg | 40kg | 40 cycles |
| Birdie EVO XPLUS | 35mm | 210kg | 41kg | 40 cycles |

All measurements are taken with 100 mm castors and a 2 point spreader bar. *With battery charge between 100% and 50% ** Not available in New Zealand

Item Codes

| Item Code | Item Description | | |
|--------------------|---|--|--|
| 1650163 | Birdie EVO Compact Lifter 150kg | | |
| 1650164 | Birdie EVO Lifter 180kg Manual Leg Spread** | | |
| 1650165 | Birdie EVO Lifter 180kg Electric Leg Spread | | |
| 1656650 | Birdie EVO XPlus 210kg | | |
| ACCESSORIES | | | |
| AP1645753-7035 | 4 Point Spreader Bar - 550mm | | |
| 1156E | Pivot Frame - Birdie EVO | | |
| PKG-BIRDIEEVOSCALE | RS300 Scale and Birdie EVO Adaptor Kit | | |







OPTIMISED DESIGN FOR COMFORTABLE TRANSFERS

LOWER LEG SUPPORT | EXTENDABLE LIFTING ARM ERGONOMIC HAND GRIPS



INVACARE | LIFTERS AND SLINGS

An evolution in stand assist lifters



Designed to offer the best lifting experience for client and carer

Our versatile Invacare Stand Assist lifter has been designed to suit a range of users who require assistance during a transfer but can weight bear.

The Invacare Stand Assist lifter provides safety, comfort and a more pleasant experience for clients. ISA is the product for those independent individuals who are in need of some assistance.

As a caregiver, usability is a fundamental element, which is why the ISA has a reduced, curved overall base dimension and reduced product weight. In many cases, the caregiver may be a family member, and therefore the ease of use is imperative. Dismantling this product can be done without any tools, and thus transportation can be achieved easily. **ISA** features many options and accessories to adapt the lifter ergonomics to the **user's body shape** and dimensions.

Design improvements for clients

- Ergonomic hand grips: to fit the natural shape of the hand and position of the wrist.
- Extendable lifting arm: different length settings to suit the body height of various clients.
- Lower leg support: many height settings to fit with different lower leg dimensions.

Design improvements for carers

- Push bar: shape and dimension based on the average elbow height and shoulder width of typical carer, to ensure smoothness and ease when manoeuvring.
- Foot pedal: non slippery and large surface for enhanced user comfort.

Introducing the ISA range



ISA COMPACT

Perfect for an environment with limited space Max Safe Working Load: 140kg **Recommended user height:** Manual Leg operation:

1400 - 1800mm



ISA XPLUS

Superior care for plus size clients Max Safe Working Load: Recommended user height: Leg operation:

200kg 1400 - 2000mm Electric

Available Accessories

- > Two stand assist slings: Stand Assist Stand and Transfer Stand Assist, which has additional leg support
- Protective covers for legs
- > Footplates: Three heights available with removable heel block and round shape for toilet approach. Accommodates users with a shoe size up to size 14 (32cm). Intermediate footplate supplied with lifter





Exclusive Features

Extendable lifting arm

The TelescoLift can be adjusted to nine different length positions for different client heights, offering maximum flexibility.

Ergonomic hand grips

The unique design perfectly fits the natural shape of the hand for a safe grip.

Lower leg support

The lower leg cushion provides six height positions with a swivel ErgoSupport option for optimum comfort.

Additional features

- ► Foot plate: three heights available with removable heel block and round shape for toilet approach. Intermediate footplate supplied with lifter.
- Push bar and foot pedal: ergonomic shape for easy lifter operation.
- **Sling hooks**: flexible and secured hooks for a quick, straightforward sling attachment.
- ▶ Leg band: padded for extra comfort. Easy to exchange and washable. Leg band included
- **Curved legs**: ergonomic shape for easy manoeuvering around chairs and toilet bases.
- **Lockable rear casters**: added security and safety for the patient and user.
- Removable battery: have a second battery charging to reduce lifter downtime. (Additional battery and external charger inc with ISA XPlus).
- Foldable: ergonomic shape for easy manoeuvering around chairs and toilet bases.



3 key features and benefits



Ergonomic hand grips

Positioning the hands in a natural, comfortable and intuitive way

- Special shape with a curved angle, offering a more natural position for the hand.
- Adapted width for the average shoulder dimension, for minimal body strain.
- **Soft touch** material for comfort during transfer.



PATENT PENDING)

TelescoLift Extendable lifting arm

Adapting the lifter to the client's height, condition and preference

- One flexible lifter with **nine length positions**, for lifting various clients.
- Easy to access lever with a self-locking mechanism for a fast and secure lift.
- The first position is very compact, offering **easy storage.**
- Suits patients from 140cm to 200cm tall





PATENT PENDING)

Lower leg support

Maintaining the lower legs with maximum comfort


- Simple one hand **height adjustment** with six positions, no tools required.
- Smooth foam cushions that can be easily replaced when needed.
- Now offering an ErgoSupport option, which follows the natural lower leg movement for optimum comfort.

ISA Slings

Stand Assist Sling




The Invacare Stand Assist Sling offers a comfortable and safe transfer for clients who have some weight bearing ability, but cannot stand independently. In addition, the client should be coherent, have good body and head control and the ability to grip the lift boom during transfer. The sling is well padded and comes with non-slip material on the back to ensure a comfortable transfer position.



| 4 | ← c → | | | Item code/Fabric |
|------|-------|------|------|------------------|
| Size | Α | В | С | Polyester fabric |
| S | 260 | 840 | 950 | 1484685 |
| М | 330 | 895 | 1170 | 1484686 |
| L | 360 | 950 | 1270 | 1484687 |
| XL | 360 | 1020 | 1810 | 1484688 |

Transfer Stand Assist Sling



The Invacare Transfer Stand Assist Sling can be used with the ISA Lifters and enables a simple seated transfer. This sling is used for those with good body and head control who are able to grip the lift boom.

| | Item code/Fabric | | | |
|------|------------------|------|-----|------------------|
| Size | Α | в | с | Polyester fabric |
| s | 860 | 840 | 240 | 1484689 |
| м | 1020 | 895 | 260 | 1484690 |
| L | 1180 | 950 | 330 | 1484691 |
| XL | 1230 | 1020 | 350 | 1485117 |

* Please refer to the lifter manufacturer's compatibility instructions.



Tech Specs

| All measurements are taken with 100 mm castors, intermediate foot plate and 80kg person. For 75 mm castors (COMPACT), reduce height measurements by | | | | | | | |
|---|--------------------|------------------------|---------------|--------------|-------------------------------|-------------------------------|-----------------------|
| 15 mm. All measurements are taken with a tolerance of +-3%. | | Safe working load ▼ | Base length 🔻 | Base width 🔻 | Inside width legs closed 🔻 | Inside width legs opened 🔻 | Turning diameter 🔻 |
| | ISA COMPACT | 140 kg | 925 mm | 535 mm | 405 mm | 735 mm | 1060 mm |
| | ISA XPLUS | 200 kg | 1280 mm | 640 mm | 480 mm | 1020 mm | 1430 mm |



** With battery charge between 100% to 50%

Item Codes

| Item Code | Item Description |
|----------------------|---|
| 1655979 | ISA Compact |
| 1655981 | ISA XPlus |
| FOOTPLATES | |
| Included with lifter | Intermediate |
| SP1650440 | High and Flat (shorter patients 140-160cm tall) |
| SP1650441 | Low and Flat (taller patients 180-200cm tall) |
| STAND ASSIST SLI | NGS |
| 1484685 | Small |
| 1484686 | Medium |
| 1484687 | Large |
| 1484688 | XLarge |
| TRANSFER STAND | ASSIST SLINGS |
| 1484689 | Small |
| 1484690 | Medium |
| 1484691 | Large |
| 1485117 | XLarge |

For more comprehensive pre-sales information about this product, including the product's user manual, please see your local Invacare website.

Invacare Slings

OPTIMAL FIT AND COMFORT

PASSIVE LIFTERS | ACTIVE LIFTERS



Making Life's Experiences Possible

INVACARE | LIFTERS AND SLINGS

The Slings Range Providing the optimal fit

Our new sling range has been designed to provide a safe, supportive and comfortable transfer for the client. The range provides options for various models, sizes and fabrics to ensure the sling fits perfectly to each person, whether they have some mobility impairment or require full body and head support.

Our team of experts and occupational therapists have spent time ensuring the slings are intuitive and easy to handle for the carer. This leads to reduced application times and improved confidence.

The range consists of eight models, each in up to six sizes and up to two fabric options to choose from.

This impressive selection ensures there is a sling suitable for everyone and for every use; daily transfer from bed to wheelchair/ armchair, a toilet transfer or even for showering or bathing.







Optimal fit

- The right sling for the right client and transfer type
- Impressive range with 8 models, 6 sizes and 2 fabrics
- ▶ Well thought-out sling patterns supporting the right body parts
- All slings have loop attachment for a high spreader bar compatibility

Enhanced safety and confidence >

- Application videos easily accessible via QR code
- Clear sling labels with intuitive sling application drawings





Optimal comfort

- Soft touch materials for increased comfort
- Padded back and leg sections for optimal weight distribution
- Cushioning under the tender armpit area

Easy to apply >

- Positioning pocket supports to slide between the client and backrest whilst sitting
- Two centre-line markers indicate the position over the spine
- Coloured loops facilitate the selection for the right positioning

ing

Yes, you can."


Selecting the right sling model

Always ensure the sling is specifically designed for the hoist you are using as failing to do so, may cause serious injury. There are different types and sizes of slings available. Selecting the most suitable sling for your client will ensure safety and improve comfort during the transfer. You should consider:

- Client's functional level, size, width and weight
- The type of transfer
- Sling shape matching body control e.g. U-shape or full-body support
- Any preferred position as the result of any medical condition e.g. stroke or amputation
- Material type and any padding
- Any sensitivity to pressure in any area

The main objective of the sling selection is to give the amount of body support that is needed. **Invacare Slings** are designed to give support in those areas where body control and muscle tone are reduced. The main body parts to assess are the legs, hip, trunk and head. The following chart gives an overview of which sling model is suitable depending on the client's physical ability: Some medical conditions such as stroke, orthopedic conditions, amputations or certain wounds may affect sling choice.

Body Control assessment and Transfer Type:



Body Support Provided by Invacare Slings Model:


| out outpo | it i forface by fire | | | | |
|-----------|------------------------------------|---|---|--|--|
| Ve | ery light 🔹 | Light 🔻 | Intermediate 🔻 | Full 🔻 | |
| | | | Universal Standard | | |
| | Hygiene Low | | | Universal High | |
| | Hygiene High | | | Comfort High | |
| | Stand Assist | | | | |
| | Trans | sfer Stand Assist | | | |
| | | | | | |
| Good | Intended Use Universal Standard | *Less optimal | | | |
| ▼ | Universal Standard | It is important to consider that the client has n | nore remaining capabilities than the sling allows t | nem to use. Thus, they will be immobilised | |



It is important to consider that the client has more remaining capabilities than the sling allows them to use. Thus, they will be immobilised over time. Additionally, more fabric than needed is used, hence it's a bigger effort to apply the sling.

Selecting the right size

To select the correct sling size, the most important measurements are the hip width and back height in the sitting position. For slings with belts, the waist circumference is important, too.




The client's weight needs to be considered mainly for the sling's maximum safe working load. It's inferior to indicate the right sling size.

If no head support is needed, the correct back height is from the lower back until the shoulder/neck. With the need of head support the measurement needs to include the head, too.

► If the sling is too big, the client may slip out. If the sling is too small, the client may still slip out, particularly with less body control. It could also exasperate the client's medical condition. When selecting a size, if your client is in-between sizes, having a slightly smaller sling, could keep your client more secure.

Sling features

Invacare slings have several features that enable you to position patients easily.





INVACARE | LIFTERS AND SLINGS

Invacare Slings for passive lifters

Universal Slings

All-round slings for everyday patient handling routines.



Universal High

- Supports the whole body, including the head
- Client sits in slightly reclined
 position
- Suitable for those with limited control of the head, trunk and hips
- Can be used for transfers from a lying position, lifting from the floor and seated to seated transfers



Universal Standard

- Supports the whole body, including the shoulders
- Suitable for those with good head control
- Can be used for transfers from a lying position, lifting from the floor and seated to seated transfers

Universal family with regular opening Universal High Codes A

| Codes | | | Α | В | с | D |
|----------|----------|-----|------|------|------|-----|
| Fabric | Mesh | | | | | |
| 60124058 | 60124063 | XS | 1040 | 740 | 615 | 310 |
| 60124059 | 60124064 | S | 1080 | 845 | 770 | 350 |
| 60124060 | 60124065 | М | 1425 | 1000 | 900 | 375 |
| 60124061 | 60124066 | L | 1555 | 1120 | 1000 | 450 |
| 60124062 | 60124067 | XL | 1600 | 1190 | 1000 | 750 |
| 60125684 | | XXL | 1650 | 1285 | 1000 | 600 |

Universal family with regular opening Universal Standard

| Codes | | | A | в | C | D |
|----------|----------|----|------|------|-----|-----|
| Fabric | Mesh | | | | | |
| 60124088 | 60124093 | XS | 965 | 800 | 405 | 365 |
| 60124089 | 60124094 | S | 1000 | 915 | 510 | 410 |
| 60124090 | 60124095 | М | 1085 | 1050 | 560 | 480 |
| 60124091 | 60124096 | L | 1180 | 1095 | 585 | 555 |
| 60124092 | 60124097 | XL | 1240 | 1240 | 590 | 720 |

Slings with a wider opening

Wide opening to facilitate toileting and easy to apply.




Hygiene Low

- Suitable for those with hip, trunk and head control
- Belt offers increased support around the body and safe positioning
- Can be used for seated to seated transfers




Hygiene High

 Same feature set as the Hygiene Low sling but comes with a head support for those with reduced head control



Wide opening

| Codes | | Α | в | с | D | Е |
|----------|----|------|------|-----|-----|-----|
| Fabric | | | | | | |
| 60123894 | XS | 840 | 620 | 160 | 380 | 400 |
| 60123895 | S | 870 | 710 | 200 | 430 | 400 |
| 60123896 | м | 950 | 800 | 230 | 495 | 465 |
| 60123897 | L | 1020 | 900 | 230 | 600 | 465 |
| 60123898 | XL | 1100 | 1080 | 270 | 760 | 465 |



| | | | | | 1 00110 |
|------|------|------|-----|-----|----------|
| XS | 840 | 620 | 160 | 380 | 60123894 |
| S | 870 | 710 | 200 | 430 | 60123895 |
| М | 950 | 800 | 230 | 495 | 60123896 |
| L | 1020 | 900 | 230 | 600 | 60123897 |
| XL | 1100 | 1080 | 270 | 760 | 60123898 |
| | | | | | |

С

D

60123891 60123892 60123893

Comfort Slings

Hammock style slings, ideally suited to those with chronic pain. The sling is also useful for above-the-knee amputees.



Comfort High

- Supports the whole body, including the head
- Suitable for those with limited control of the head, trunk and hips
- Including well positioned handles

| Com | foi | t | S | ili | ng | \$ |
|-----|-----|---|---|-----|----|----|
| ~ | ~ | | | | | |

| Comfort High Codes | | | А | в | с | D |
|------------------------------|----------|----|------|------|-----|------|
| Fabric | Mesh | | | | | |
| 60123856 | 60123861 | S | 1150 | 1050 | 550 | 1020 |
| 60123857 | 60123862 | М | 1395 | 1170 | 610 | 1160 |
| 60123858 | 60123863 | L | 1445 | 1290 | 675 | 1280 |
| 60123859 | 60123864 | XL | 1460 | 1330 | 745 | 1470 |

Invacare Slings for active lifters




Stand Assist

- Suitable for clients with some weight bearing ability but cannot stand independently
- Client should be coherent, have good body and head control
- It's well-padded for extra comfort
- Comes with a non-slip material on the back



Transfer Stand Assist

• Same feature set as the Stand Assist sling but comes with additional leg support



Transfer Stand Assist

| Codes | | Α | В | с | D |
|----------|----|-----|------|------|------|
| Fabric | | | | | |
| 60123945 | S | 260 | 840 | 950 | 965 |
| 60123946 | М | 330 | 895 | 1170 | 1060 |
| 60123947 | L | 360 | 950 | 1270 | 1160 |
| 60123948 | XL | 360 | 1020 | 1810 | 1260 |

Stand Assist

| Codes | | Α | В | С |
|----------|----|-----|------|------|
| Fabric | | | | |
| 60123941 | S | 260 | 840 | 950 |
| 60123942 | М | 330 | 895 | 1170 |
| 60123943 | L | 360 | 950 | 1270 |
| 60123944 | XL | 360 | 1020 | 1810 |

Tech Specs





90° C



Bleaching **v**

Do not bleach



Low

temperature

Max User Max washing Weight • temperature •

XS, S, M, L = 200 kg XL = 250 kg

XL = 250 kg XXL = 300 kg

For more comprehensive pre-sales information about this product, including the product's user manual, please see your local Invacare website.

All slings should be tested and adjusted to the individual client to ensure optimal comfort and safety during transfers.

A risk assessment must be carried out prior to use of one manufacturer's sling on another manufacturer's hoist.

Fabrics



Polyester - Solid

A strong material that is hard-wearing and easy to apply. It slides smoothly into place and dries quickly after washing. This comes as standard on all models.

Polyester - Mesh

Also known as net fabric, the mesh option is ideally suited for bathing or showering environments. It has quick drainage and drying properties.



Yes, you can.

Sling label

Each Invacare sling has an external label with information that supports you through application and patient positioning.





Invacare Portugal, Lda Rua Estrada Velha 545 4465-784 Leça do Balio, Portugal

Patient name There is placeholder for the patient name on the label, allowing you to personalise the sling.

QR-Code


You can scan the QR (Quick Response) code using your Smartphone to access a sling application video and the user manual.

Microsite with all sling application videos

https://marketing2.invacare.eu.com/slings



Various positioning options



Suspension strap

The suspension straps are equipped with colour coded loops which offer different lengths in order to place the patient in different positions.

Before applying the loops consider the users end position to choose the most appropriate loops. The pictograms on the sling's external label gives you quick support to remember the different positions. Additionally you can use loop markers to indicate the chosen loops.



For a transfer into a sitting position, place the patient as vertical as possible in the sling. Therefore, use shorter loops at the shoulders and longer loops at the legs.



For a semi-recumbent position in the sling use e.g. the blue loops on both the shoulders and on the legs.



For a transfer into a lying position use longer loops at the shoulders and shorter ones at the legs.

IMPORTANT!

For an even lift, always ensure the coloured loops selected on one side of the body match the other i.e. shoulder straps match and leg straps match accordingly.

The pivot sling range



Selecting the correct size

Hygiene HighTypically there is a degree of overlap between each sling size within a particular model. If the patient falls between two sizes, it is generally better to select the smaller size of sling, unless you are aware that the patient is likely to grow.

Measurements required for General Purpose with Head Support (Pivot and Yoke):

- Shoulder width
- Coccyx to top of head (General Purpose only)

Measurement required for Hygiene (Pivot and Yoke):

• Shoulder width

Measurements

One of the most important factors to perform a safe transfer is the match between hip/trochanter width and and the measurement of the sling's opening between the leg support. If between sizes the smaller size may keep the client more secure.

Pivot Hygiene

Pivot GeneralPurpose with Head Support

| odes | Shoulder Width (mm) | COCCYX TO TOP OF HEAD (mm) |
|---------|------------------------|----------------------------------|
| | 600 - 700 | |
| | 700 - 810 | 750 - 900 |
| L146391 | 760 - 870 | 830 - 1000 |

Tech Specs



For more comprehensive pre-sales information about this product, including the product's user manual, please see your local Invacare website.

All slings should be tested and adjusted to the individual client to ensure optimal comfort and safety during transfers.

A risk assessment must be carried out prior to use of one manufacturer's sling on another manufacturer's hoist.



Yes, you can.

Cross reference guide

| Invacare Item Code | New Description | Comments | Previous Item Code | Old Description | Comments |
|-----------------------|-------------------------------|-----------------|-----------------------|--|----------------------------------|
| | | | 1451097 | SLING (GP-HYG-HS-FABRIC-M) | Hammock slings with commode hole |
| 60123861 | SLING COMFORT HIGH MESH S | No commode hole | 1485968 | AMPUTEE SLING FABRIC SMALL | |
| | | | 1485969 | SLING (COMFORT-MESH-M) | |
| 60123862 | SLING COMFORT HIGH MESH M | No commode hole | 1451098 | SLING (GP-HYG-HS-MESH-M) | Hammock slings with |
| | | | 17336 | SLING (HAMMOCK-MESH-MED) | commode hole |
| | | | 1485970 | SLING (COMFORT-MESH-L) | |
| 60123863 | SLING COMFORT HIGH MESH L | No commode hole | 1451099 | SLING (GP-HYG-HS-MESH-L) | Hammock slings with |
| 00123803 | | No commode noie | 17129 | SLING (HAMMOCK-MESH-LGE) | commode hole |
| 00107001 | | | | | Hammock slings with |
| 60123864 | SLING COMFORT HIGH MESH XL | No commode hole | 1451100 | SLING (GP-HYG-HS-MESH-XL) | commode hole |
| 60123889 | SLING HYGIENE LOW FAB XS | NEW | - | - | - |
| | | | 1478440 | SLING(SUPREME-HYG-FABRIC-SM) | |
| 60123890 | SLING HYGIENE LOW FAB S | | 17530 | SLING(SUPREME-HYG-FABRIC-SM) | |
| | | | THY-S | SLING HYGIENE FAB SM | |
| | | | 1478441 | SLING (SUPREME-HYG-FAB-MED) | |
| 60123891 | SLING HYGIENE LOW FAB M | | 17531 | SLING (SUPREME-HYG-FAB-MED) | |
| | | | THY-M | SLING HYGIENE FAB M | |
| | | | 1478442 | SLING (SUPREME-HYG-FAB-LG) | |
| 60123892 | SLING HYGIENE LOW FAB L | | 17532 | SLING (SUPREME-HYG-FAB-LG) | |
| | | | THY-L | SLING HYGIENE FAB L | |
| 60123893 | SLING HYGIENE LOW FAB XL | NEW | - | - | - |
| 60123894 | SLING HYGIENE HIGH FAB XS | | 17401 | SLING GPHS HYGIENE FAB XSML | |
| 60123895 | SLING HYGIENE HIGH FAB S | | 1478444 | SLING (DRESS HYG-HS-FAB-SM) | |
| | | | 17402 | SLING (DRESS HYG-HS-FAB-SM) | |
| 60123896 | SLING HYGIENE HIGH FAB M | | 1478445 | SLING (DRESS HYG-HS-FAB-M) | |
| | | | 17395 | SLING (GP-HYG-H/S-FABRIC-MED) | |
| 60123897 | SLING HYGIENE HIGH FAB L | | 1478446 | SLING (DRESS HYG-HS-FAB-L) | |
| | | | 17396 | SLING (GP-HYG-H/S-FABRIC-L) | |
| 60123898 | SLING HYGIENE HIGH FAB XL | | 1484780 17403 | SLING-DRESS TOILET-W/HD SP-XL | |
| 60123941 | SLING STAND ASSIST FAB S | | 1/403 | SLING(HYGIENE-GP H/S-FAB-XLGE) SLING STAND ASSIST FAB S | |
| 60123941 | SLING STAND ASSIST FAB S | | 1484686 | SLING STAND ASSIST FAB S | |
| 60123942 | SLING STAND ASSIST FAB L | | 1484687 | SLING STAND ASSIST FAB IN | |
| 60123943 | SLING STAND ASSIST FAB L | | 1484688 | SLING STAND ASSIST FAB L | |
| 60123945 | SLING TRANS STAND ASST FAB S | | 1484689 | SLING TRANSFER STAND ASSIST S | |
| 60123946 | SLING TRANS STAND ASST FAB M | | 1484690 | SLING TRANSFER STAND ASSIST S | |
| 60123947 | SLING TRANS STAND ASST FAB L | | 1484691 | SLING TRANSFER STAND ASSIST L | |
| 60123948 | SLING TRANS STAND ASST FAB XL | | 1485117 | SLING TRANSFER STAND ASSIST Z | |
| 00120010 | | | 1483776 | SLING (UNIVERSAL-HS-FAB-XS) | |
| 60124058 | SLING UNIVERSAL HIGH FAB XS | | 17209 | SLING (GP H/S-FAB-XSML) | |
| | | | 1483777 | SLING (UNIVERSAL-HS-FAB-SM) | |
| 60124059 | SLING UNIVERSAL HIGH FAB S | | 17247 | SLING (GP H/S-FAB-SML) | |
| | | | 1483778 | SLING (UNIVERSAL-HS-FAB-M) | |
| 60124060 | SLING UNIVERSAL HIGH FAB M | | 17067 | SLING (GP H/S-FAB-MED) | |
| | | | 1483779 | SLING (UNIVERSAL-HS-FAB-L) | |
| 60124061 | SLING UNIVERSAL HIGH FAB L | | 17069 | SLING (GP H/S-FAB-LGE) | |
| | | | 1485949 | SLING (UNIVERSAL-HS-FAB-XL) | |
| 60124062 | SLING UNIVERSAL HIGH FAB XL | | 17205 | SLING (GP H/S-FAB-XL) | |

| Invacare Item Code | New Description | Comments | Previous Item Code | Old Description | Comments |
|-----------------------|------------------------------|-------------------------------|-----------------------|-------------------------------|----------|
| 00104007 | | Dimensions similar | 1485950 | SLING (UNIVERSAL HS MESH XS) | |
| 60124063 | SLING UNIVERSAL HIGH MESH XS | to paed | 17260 | SLING (PAED-GP-MESH-XSML) | |
| | | | 1485951 | SLING (UNIVERSAL-HS-MESH-S) | |
| 60124064 | SLING UNIVERSAL HIGH MESH S | Dimensions similar to paed | 17126 | SLING (GP H/S-MESH-SML) | |
| | | | 17262 | SLING (PAED-GP-MESH-SML) | |
| | | | 1485952 | SLING (UNIVERSAL-HS-MESH-M) | |
| 60124065 | SLING UNIVERSAL HIGH MESH M | Dimensions similar to paed | 17127 | SLING (GP H/S-MESH-MED) | |
| | | | 17266 | SLING (PAED-GP-MESH-MED) | |
| 60124066 | SLING UNIVERSAL HIGH MESH L | | 1485953 | SLING (UNIVERSAL-HS-MESH-L) | |
| 60124066 | SLING UNIVERSAL HIGH MESH L | | 17128 | SLING (GP H/S-MESH-LGE) | |
| C01240C7 | | | 1485954 | SLING (UNIVERSAL-HS-MESH-XL) | |
| 60124067 | SLING UNIVERSAL HIGH MESH XL | | 17248 | SLING (GP H/S-MESH-XLGE) | |
| 60124088 | SLING UNIVERSAL STD FAB XS | NEW | - | - | - |
| CO10 4000 | | | 1485882 | SLING (UNIVERSAL-STD-FAB-SM) | |
| 60124089 | SLING UNIVERSAL STD FAB S | | 17105 | SLING (GP-FABRIC-SML) | |
| 60124000 | | | 1485883 | SLING (UNIVERSAL-STD-FAB-M) | |
| 60124090 | SLING UNIVERSAL STD FAB M | | 17041 | SLING (GP-FABRIC-MED) | |
| 60124091 | | | 1485884 | SLING (UNIVERSAL-STD-FAB-L) | |
| 60124091 | SLING UNIVERSAL STD FAB L | | 17043 | SLING (GP-FABRIC-LGE) | |
| 60104000 | | | 1485885 | SLING (UNIVERSAL-STD-FAB-XL) | |
| 60124092 | SLING UNIVERSAL STD FAB XL | | 17204 | SLING (GP-FABRIC-XLGE) | |
| 60124093 | SLING UNIVERSAL STD MESH XS | NEW | - | - | - |
| C0104004 | | | 1478411 | SLING (UNIVERSAL-STD-MESH-SM) | |
| 60124094 | SLING UNIVERSAL STD MESH S | | 17123 | SLING (GP-MESH-SML) | |
| C0104005 | | | 1478412 | SLING (UNIVERSAL-STD-MESH-M) | |
| 60124095 | SLING UNIVERSAL STD MESH M | | 17124 | SLING (GP-MESH-MED) | |
| C010400C | | | 1478413 | SLING (UNIVERSAL-STD-MESH-M) | |
| 60124096 | SLING UNIVERSAL STD MESH L | | 17125 | SLING (GP-MESH-LGE) | |
| C0104007 | | | 1478414 | SLING UNIVERSAL STD MESH XL | |
| 60124097 | SLING UNIVERSAL STD MESH XL | | 17207 | SLING (X-LARGE-MESH-GEN PURP) | |
| 60125684 | SLING UNIVERSAL HIGH FAB XXL | NEW | - | - | - |
| SL146191 | SLING PIVOT GP HS MESH SM | | 17241 | SLING (PIVOT-GP-MESH-SML) | |
| SL146291 | SLING PIVOT GP HS MESH M | | 17242 | SLING (PIVOT-GP-MESH-MED) | |
| SL146391 | SLING PIVOT GP HS MESH L | | 17243 | SLING (PIVOT-GP-MESH-LGE) | |
| SL247191 | SLING PIVOT HYG MESH S | NEW | - | - | - |
| SL247291 | SLING PIVOT HYG MESH M | | 17392 | SLING (PIVOT-HYG-MESH-MED) | |
| SL247391 | SLING PIVOT HYG MESH L | | 17393 | SLING (PIVOT-HYG-MESH-LGE) | |





FOR FURTHER INFORMATION:

New Zealand: Freephone 0800 468 222, email sales@invacare.co.nz or visit www.invacare.co.nz Australia: Freephone 1800 460 460, email orders@invacare.com.au or visit www.invacare.com.au Asia: Phone +61 2 8839 5330, email anzexportsales@invacare.com or visit www.invacare.com Thailand: Phone +66 0 2821 5515 or visit www.invacare.com.th

